9" Model "UT" Conveyor

9" UT CONVEYOR CAPACITY					
CONVEYOR WIDTH	UNITS	FEET PER MINUTE (SPEED)			
		1	50	100	150
9"	BPH	15	751	1501	2252
	CFH	18.8	938	1876	2814
	CMH	0.5	27	53	80

*Speed varies with degree of incline, materials being conveyed, service factors, and other conditions. BCI engineers work with you and your requirements to furnish precise recommendations when you consult us for your conveying needs.

Bulk Conveyors Inc.

1850 N. Ohio St.
Wichita, Ks 67214
Ph: 316-201-3158
www.bulkconveyorsinc.us

"Where Customer Service is always FIRST"



TYPICAL ELEVATION VIEW



TAKE-UP TAIL (OPTIONAL)



INLET FLANGE HOLE PATTERN



FIXED HEAD (OPTIONAL)



HEAD DISCHARGE HOLE PATTERN
(Discharges shipped with a mating flange by request)



TROUGH CROSS SECTION
(Standard construction shown)

12" Model "UT" Conveyor

9" UT CONVEYOR CAPACITY					
CONVEYOR WIDTH	UNITS	FEET PER MINUTE (SPEED)			
		1	50	100	150
12"	BPH	28	1424	2848	4272
	CFH	35.6	1780	3560	5340
	CMH	1.0	50	101	151

*Speed varies with degree of incline, materials being conveyed, service factors, and other conditions. BCI engineers work with you and your requirements to furnish precise recommendations when you consult us for your conveying needs.

Bulk Conveyors Inc.

1850 N. Ohio St.
Wichita, Ks 67214
Ph: 316-201-3158
www.bulkconveyorsinc.us

"Where Customer Service is always FIRST"



TYPICAL ELEVATION VIEW



TAKE-UP TAIL (OPTIONAL)



INLET FLANGE HOLE PATTERN



FIXED HEAD (OPTIONAL)



HEAD DISCHARGE HOLE PATTERN
(Discharges shipped with a mating flange by request)



TROUGH CROSS SECTION
(Standard construction shown)

14" Model "UT" Conveyor

9" UT CONVEYOR CAPACITY					
CONVEYOR WIDTH	UNITS	FEET PER MINUTE (SPEED)			
		1	50	100	150
14"	BPH	40	2023	4045	6068
	CFH	50.6	2528	5056	7584
	CMH	1.4	72	143	215

*Speed varies with degree of incline, materials being conveyed, service factors, and other conditions. BCI engineers work with you and your requirements to furnish precise recommendations when you consult us for your conveying needs.

Bulk Conveyors Inc.

1850 N. Ohio St.
Wichita, Ks 67214
Ph: 316-201-3158
www.bulkconveyorsinc.us

"Where Customer Service is always FIRST"



TYPICAL ELEVATION VIEW



TAKE-UP TAIL (OPTIONAL)



INLET FLANGE HOLE PATTERN



FIXED HEAD (OPTIONAL)



HEAD DISCHARGE HOLE PATTERN
(Discharges shipped with a mating flange by request)



TROUGH CROSS SECTION
(Standard construction shown)

16" Model "UT" Conveyor

9" UT CONVEYOR CAPACITY					
CONVEYOR WIDTH	UNITS	FEET PER MINUTE (SPEED)			
		1	50	100	150
16"	BPH	51	2538	5075	7613
	CFH	63.4	3172	6343	9515
	CMH	1.8	90	180	269

*Speed varies with degree of incline, materials being conveyed, service factors, and other conditions. BCI engineers work with you and your requirements to furnish precise recommendations when you consult us for your conveying needs.

Bulk Conveyors Inc.

1850 N. Ohio St.
Wichita, Ks 67214
Ph: 316-201-3158
www.bulkconveyorsinc.us

"Where Customer Service is always FIRST"



TYPICAL ELEVATION VIEW



TAKE-UP TAIL (OPTIONAL)



INLET FLANGE HOLE PATTERN



FIXED HEAD (OPTIONAL)



HEAD DISCHARGE HOLE PATTERN
(Discharges shipped with a mating flange by request)



TROUGH CROSS SECTION
(Standard construction shown)

20" Tall Model "UT" Conveyor

9" UT CONVEYOR CAPACITY					
CONVEYOR WIDTH	UNITS	FEET PER MINUTE (SPEED)			
		1	50	100	150
20"	BPH	78	3906	7812	11718
	CFH	97.6	4882	9764	14646
	CMH	2.8	138	277	415

*Speed varies with degree of incline, materials being conveyed, service factors, and other conditions. BCI engineers work with you and your requirements to furnish precise recommendations when you consult us for your conveying needs.

Bulk Conveyors Inc.

1850 N. Ohio St.
Wichita, Ks 67214
Ph: 316-201-3158
www.bulkconveyorsinc.us

"Where Customer Service is always FIRST"



TYPICAL ELEVATION VIEW



TAKE-UP TAIL (OPTIONAL)



INLET FLANGE HOLE PATTERN



FIXED HEAD (OPTIONAL)



HEAD DISCHARGE HOLE PATTERN
(Discharges shipped with a mating flange by request)



TROUGH CROSS SECTION
(Standard construction shown)